

INVOICE

FITZGERALD WATER LIGHT AND BOND
P.O. Box 667
FITZGERALD, GA 31750

(229) 426-5400

TO: JULIE WRIGHT
260 SLY HILL RD
OCILLA, GA 31774

INVOICE NO: 53729
DATE: 6/04/25

CUSTOMER NO: 2325/2412

TYPE: RR - Residential Irwin Co

QUANTITY	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
1.00	MDSE - Appliances SERIAL# SH.BA 132692 Inventory item selected for charge code: AP-60000163003 Quantity: 1.00 11.1 GPM NG/LP	1,581.84	1,581.84
1.00	MDSE - Appliances Inventory item selected for charge code: AP-60000163022 Quantity: 1.00 PCD-035MP	185.40	185.40
1.00	MDSE - Appliances Inventory item selected for charge code: AP-60000163033 Quantity: 1.00 OUTDOOR VENT CAP	45.00	45.00
1.00	MDSE - Appliances Inventory item selected for charge code: AP-60000163032 Quantity: 1.00 PLUMBING INSTALLATION KIT	69.60	69.60
1.00	Sales Tax	150.55	150.55

TOTAL DUE: \$2,032.39

PLEASE DETACH AND SEND THIS COPY WITH REMITTANCE

DATE: 6/04/25 DUE DATE: 6/16/25
CUSTOMER NO: 2325/2412

NAME: WRIGHT, JULIE
TYPE: RR - Residential Irwin Co

REMIT AND MAKE CHECK PAYABLE TO:
FITZGERALD WATER LIGHT AND BOND
P.O. Box 667
FITZGERALD GA 31750

INVOICE NO: 53729
TERMS: NET 10 DAYS

AMOUNT:

GA \$2,032.39
- 200.00
Rebate \$1,832.39

Account Number 2325
Name Julie Wright
Address 260 Sly Hill Rd
Ossilla, GA

Call Date: 2/24/25 Date Requested: 3/12/25
Instructions: set (2) tanks - mount
water heater & hook up pool heater

Telephone Office: _____ Home: _____

Appliance Check Item:	Central Heating 1	Space Heater 2	Water Heater 3	Range 4	Clothes Dryer 5	6
Manufacturer			Rinnai			Pool heater
Model No.			RX1991			Sta-Rite
Serial No.			SH-BA-132292			SR400LP
Location			outside			?
BTU	000	000	199 000	N/A	N/A	000
Age			new			399 000
Manual Shutoff (Installed/Existing)			installed			used
Venting			gd			installed
						gd

TANK/CYLINDER (2 Tank) 167K + 168K

SIZE	SERIAL NUMBER	MFR.	MFR. DATE	Last Test Date	Location	Tank Cond.	Paint	Pigtail	Fittings	Gauge	Relief Valve	Fittings Leak Test
167K 120	F00445870	Avanti	2024								Cond. Date Cap	
168K 120	F00446089	Steel	2024	3/12/25	inside	new	new	new	new	new	new	new

PIPING/REGULATOR OPERATION/CONDITION

SINGLE STAGE	PIPING	REGULATOR DATE CODE	REGULATOR CONDITION	MFR.	MODEL	REG. VENT POSITION	HOW PROTECTED	FLOW PRESSURE
	MATERIAL SIZE							
1ST	Copper 1/2	02/23	new	Rego	LV40484	Level	Dome	11 IN. WC
2ND								PSIG

SYSTEM LEAK TEST

SINGLE STAGE	Start Pressure	End Pressure	Time Held	System OK
	(Inches W.C.)	(Inches W.C.)		
1ST	11	11	5 min	✓ OK
2ND	(PSIG)	(PSIG)		
	(Inches W.C.)	(Inches W.C.)		

Comments: NO PROBLEMS

This inspection covers (propane/LP-Gas) items and equipment visible and accessible to the service technician and represents the conditions existing on the date of inspection. It does not cover latent or manufacturing defects, the internal working of sealed equipment, or structural components, and cannot be construed to cover future defects or unforeseen happenings.

Reference Invoice No. WF0524806 Date 3/12/25
(Mo. Day Yr.)

Julie M Wright
(Please Print)

Chris Woods
(Please Print)

- Know how to turn off gas in case of emergency.
- Have smelled propane and can detect its odor.
- Have received the Consumer Safety Information.
- Had gas system deficiencies and / or corrections, if any, clearly explained to me.
- Am satisfied with the service work performed.

Certify that I have completed the System Check as prescribed

Performed Odor Test ☒ Yes

Performed Pressure Test ☒ Yes
Left Consumer Safety Info ☒ Yes