

APPOINTMENT:

Service Workorder

COMPANY DETAILS:

Date: 09-25-2025 Time: 3:00 PM Time Arrived: 3:00 PM	LOCATION: GA 31513 CITY: Baxley	ADDRESS: 2174 Hatch Parkway South LOCATION: GA 31513 CITY: Baxley PHONE: 9123671151				
SUSTOMER DETAILS:						
Existing Customer	Г	New	Customer			
Customer Name: GILBERT, DON		Cust	omer Home #			
Street: 231 BRENDA KAYE Y		City:	BAXLEY			
State: GA		Zip: 31513				
Account#: SP202405070000336		Customer Cell#: 912-367-0135				
Sub Acc. Number: SP202405070000336 Loc		Loca	eation:			
Invoice Number: 250926085000						
PUECY TYPE OF SERVICE/*Follow	v company's policies and pro	edur	es)			
CHECK TYPE OF SERVICE(*Follow company's policies and procedure TANK/EQUIPMENT COMPANY OWNED CUSTOMER OWNED			TANK EQUIPMENT REMOVAL			
☐ NEW CUSTOMER INSTALLATION*			COUT-OF-GAS*			
☐ DISCONNECT (Lockout Tank) TAG*			☐ RECONNECT*			
MOVE-IN (New Renter/Owner)*			NEW CUSTOMER-OWNED ACCOUNT*			
☐ LEAK CHECK			☐ OTHER SERVICE			
IT METER INSTALLATION						

Directions/Instructions: Changed out old water heater with New Navian 180 propane water heater. Ran pressure check and check all appliances

APPLIANCES INFORMATION:

Appliance	Water Heater
Manufacturer:	Navian
Model:	NPN-180E-LP
Serial No:	1725U19Y060607S
BTU:	180000
CONNECTED?:	yes
TAGGED OUT?:	no
APP VENTED?:	no

ank/Cylinder:		
	Tank 1	
Tank Type:	ASME	
Size:	250	
Serial No:	25G022827	
Manufacturer:	American Welding	
Manufacturer Date:	01-01-1996	
Location:		
Gallons:	200	
Used For:	Hot Water,Cooking	

REGULATOR PRESSURE TEST:

VENTED AWAY?: ☐ YES ☐ NO ☑ N/A WHERE?:

	Delivery	Lock-Up	Make	Model #	Mfr Date
Integral Twin Stage	In W.C.	In W.C.			
1st Stage	11 P.S.I.G.	11.5 P.S.I.G.	Rego	LV004403TR9 (First Stage)	03-01-1995
2nd Stage	In W.C.	In W.C.	Rego	2403	

Tank Location:	10 1	
	2	
	8 3	
	7 mont 4	
	6 5	
Approx. distan	ce from the building: 70	

SYSTEM LEAK CHECKS: ▼ Vapor System Liquid System

	Leak Check			New Piping
	High Press	Intermediate	Low Press	Press Test
Tank Pressure:	150 PSIG	PSIG	11 In W.C	Air
Start Pressure:	110 PSIG	PSIG	9 In W.C	PSIG
End Pressure:	110 PSIG	PSIG	9 In W.C	PSIG
Start Time:	04:40:PM		04:30:PM	
End Time:	04:50:PM		04:40:PM	
Time Held:	10		10	
Pressure Held:	Yes	Yes	Yes	Yes
Flow Check: IN W.C	Location Of Flow Check:		All appliances activat	ed for test? Yes

GAS LINE: ▼ AG □ UG	
APPROX LENGTH:	
MATERIAL:	

INSPECTION NOTES:

INSPECTOR / DO NOT CONNECT TAG: ▼ YES NO

WORK PERFORMANCE/COMMENTS:

Checklist(CHECK MARK = YES, NO CHECK MARK = NO):

"System or equipment "Red(Warning) Tagged" due to condition or because subject to recall?

☐ I agree to notify the company of a ☐ Stickers installed? ☐ Gas line bled? ☐ Tank left on? ☐ Yard sign installed?	any changes to my	appliance	s.					
INVOICE:								
Description	Price(\$)	Quantity	Hours		Hourly Rate(\$)	Total(\$)		
Navian 180E-LP (Propane)	\$1285.0	1	N/A		N/A	\$1285.00		
			Subtotal			\$1285.0		
			Discount			\$200.0		
			Taxes			\$102.8		
			Hourly Rate	2	\$120.00	\$240.00		
			Total(\$)			\$1427.80		
I am satisifed with the work per pay for services completed.	erformed and agre	e to	I certify the results are according to		ne above-noted informate.	nation and test		
GILBERT, DO	ON				DANIEL SIKES			
Customer Signature	(Optional)				Employee Signature			

Lead Tech: Daniel Sikes
Helper: Ben Griffis

Date: 09-25-2025

End Time: 5:00 PM

Photos:



Important Propane Safety Information for You and Your Family

IF YOU SMELL GAS

- NO FLAMES OR SPARKS! Immediately put out all smoking materials and other open flames. Do not operate lights, appliances, telephones, or cell phones. Flames or sparks from these sources can trigger an explosion or a fire.
- 2. LEAVE THE AREA IMMEDIATELY! Get everyone out of the building or area where you suspect gas is leaking.
- SHUT OFF THE GAS. Turn off the main gas supply valve on your propane tank if it is safe to do so. To close the valve, turn it to the right (clockwise).
- 4. REPORT THE LEAK. From a neighbor's home or other nearby building away from the gas leak, call your propane retailer right away. If you can't reach your propane retailer, call 911 or your local fire department.
- DO NOT RETURN TO THE BUILDING OR AREA until your propane retailer, emergency responder or qualified service technician determines that it is safe to do so.
- 6. GET YOUR SYSTEM CHECKED. Before you attempt to use any of your propane appliances, your propane retailer or qualified service technician must check your entire system to ensure that it is leak-free.

CAN YOU SMELL IT?

Propane has a strong, unpleasant odor. Some people may have difficulty smelling propane due to their age (older people may have a less sensitive sense of smell); a medical condition; or the effects of medication, alcohol, tobacco, or drugs. Consider purchasing a propane gas detector as an additional measure of security.

ODOR FADE is an unintended reduction in the concentration of the odor of propane making it more difficult to smell.

Although rare, several situations can cause odor fade:

- The presence of air, water, or rust in a propane tank or cylinder.
- The passage of leaking propane through the soil.

Since there is a possibility of odor fade or problems with your sense of smell, you should respond immediately to even a faint odor of gas.

PROPANE GAS DETECTORS

Propane gas detectors sound an alarm if they sense propane in the air. They can provide an additional measure of security in homes with little-used areas or with occupants who have difficulty smelling propane.

GUIDELINES regarding propane gas detectors:

- Buy only units that are listed by Underwriters Laboratories (UL).
- Follow the manufacturer's instructions regarding installation and maintenance.
- Never ignore the smell of propane, even if no detector is sounding an alarm.

APPLIANCE MAINTENANCE

LEAVE IT TO THE EXPERTS. Only a qualified service technician has the training to install, inspect, service, maintain, and repair your appliances. Have your appliances and propane system inspected just before the start of each heating season.

DO NOT TRY TO MODIFY OR REPAIRvalves, regulators, connectors, controls, or other appliance and cylinder/tank parts. Doing so creates a risk of gas leak that can result in property damage, serious injury, or death.

CO AND YOUR SAFETY

WHAT IS CARBON MONOXIDE (CO)? Carbon Monoxide (CO) is a colorless, odorless and tasteless gas. You can't taste or smell CO, but it is a very dangerous gas. High levels of CO can be generated from appliances that are not operating correctly, or from a venting system or chimney that becomes blocked.

CO CAN BE DEADLY! High levels of CO can make you dizzy, cause fatigue, cause shortness of breath, give you headaches or cause flu-like symptoms. In extreme cases, CO can cause brain damage or death.

IF YOU SUSPECT CO IS PRESENT, ACT IMMEDIATELY!

- If you or a family member shows physical symptoms of CO poisoning, get everyone out of the building and call 911 or your local fire department.
- If it is safe to do so, open windows to allow the entry of fresh air, and turn off any appliances you suspect may be releasing CO.
- If no one has symptoms, but you suspect that CO is present, call your propane retailer or a qualified service technician to check CO levels and your propane equipment.

CO DETECTORS CAN IMPROVE SAFETY. For an extra measure of safety, consider installing a CO detector listed by UL on each level of your home.

TO HELP REDUCE THE RISK OF CO POISONING

- Have a qualified service technician check your propane appliances and venting systems annually, preferably before the heating season.
- · Install UL-listed CO detectors on every level of your home.
- Never use a gas oven or range-top burners to provide space heating.
- Never use portable heaters indoors unless they are designed and approved for indoor use.
- Never use a barbecue grill (propane or charcoal) indoors for cooking or heating.
- Regularly check your appliance exhaust vents for blockage.

RUNNING OUT OF GAS

DON'T RUN OUT OF GAS. SERIOUS SAFETY HAZARDS, INCLUDING FIRE OR EXPLOSION, CAN RESULT.

- If an appliance valve or gas line is left open, when the propane runs out a leak could occur when the system is recharged with propane.
- If your propane tank runs out of gas, any pilot lights on your appliance will go out. This can be extremely
 dangerous.
- A LEAK CHECK IS REQUIRED. In many states, a propane retailer or a qualified service technician must perform
 a leak check of your propane system before turning on the gas.

LIGHTING PILOT LIGHTS

IT IS STRONGLY RECOMMENDED THAT A QUALIFIED SERVICE TECHNICIAN LIGHT ANY PILOT LIGHT THAT HAS GONE OUT A pilot light that repeatedly goes out - or is very difficult to light - may be signaling that there is a problem with the appliance or with the propane system. If this occurs, do not try to fix the problem yourself. Contact a qualified service technician to evaluate the appliance. Accidents and serious injuries can occur when customers attempt to fix a pilot light problem on their own.

YOU ARE TAKING THE RISK of starting a fire or an explosion if you light a pilot light yourself. Carefully follow all of the manufacturer's instructions and warnings concerning the appliance before attempting to light the pilot.