



Service Workorder

APPOINTMENT: Date: 09-18-2025 Time: 10:20 AM Time Arrived: 10:20 AM	COMPANY DETAILS: ADDRESS: 2174 Hatch Parkway South LOCATION: GA 31513 CITY: Baxley PHONE: 9123671151
---	---

CUSTOMER DETAILS:

☒ Existing Customer	☐ New Customer
---	---------------------------------------

Customer Name: SMITH, LARRY	Customer Home #
Street: 1201 FOUNDERS BLVD.	City: ATHENS
State: GA	Zip: 30606
Account#: SP202405070000813	Customer Cell#: 229-347-9931
Sub Acc. Number: SP202405070000813	Location:
Invoice Number: 250926091749	

CHECK TYPE OF SERVICE(*Follow company's policies and procedures)

☒ TANK/EQUIPMENT ☒ COMPANY OWNED ☐ CUSTOMER OWNED	☐ TANK EQUIPMENT REMOVAL
☐ NEW CUSTOMER INSTALLATION*	☐ OUT-OF-GAS*
☐ DISCONNECT (Lockout Tank) TAG*	☐ RECONNECT*
☐ MOVE-IN (New Renter/Owner)*	☐ NEW CUSTOMER-OWNED ACCOUNT*
☐ LEAK CHECK	☐ OTHER SERVICE
☐ METER INSTALLATION	

Directions/Instructions: Changed old water heater due to damage and replaced with a new Rinnai RL75e. Ran pressure check and checked all appliances

Tank Location:



Approx. distance from the building: 6

SYSTEM LEAK CHECKS: ☒ Vapor System ☐ Liquid System

	Leak Check			New Piping
	High Press	Intermediate	Low Press	Press Test
Tank Pressure:	130 PSIG	PSIG	11 In W.C	Air
Start Pressure:	100 PSIG	PSIG	9 In W.C	PSIG
End Pressure:	100 PSIG	PSIG	9 In W.C	PSIG
Start Time:	11:40:AM		11:50:AM	
End Time:	11:50:AM		12:00:PM	
Time Held:	10		10	
Pressure Held:	Yes	Yes	Yes	Yes
Flow Check: IN W.C	Location Of Flow Check:		All appliances activated for test? Yes	

GAS LINE: ☒ AG ☐ UG

APPROX LENGTH:

MATERIAL:

INSPECTION NOTES:

INSPECTOR / DO NOT CONNECT TAG: ☒ YES ☐ NO

WORK PERFORMANCE/COMMENTS:

Checklist(CHECK MARK = YES, NO CHECK MARK = NO):

☐ System or equipment "Red(Warning) Tagged" due to condition or because subject to recall?

Lead Tech: Daniel Sikes

Helper: Ben Griffis

Date: 09-18-2025

End Time: 12:10 PM

Photos :



Important Propane Safety Information for You and Your Family

IF YOU SMELL GAS

- 1. NO FLAMES OR SPARKS!** Immediately put out all smoking materials and other open flames. Do not operate lights, appliances, telephones, or cell phones. Flames or sparks from these sources can trigger an explosion or a fire.
- 2. LEAVE THE AREA IMMEDIATELY!** Get everyone out of the building or area where you suspect gas is leaking.
- 3. SHUT OFF THE GAS.** Turn off the main gas supply valve on your propane tank if it is safe to do so. To close the valve, turn it to the right (clockwise).
- 4. REPORT THE LEAK.** From a neighbor's home or other nearby building away from the gas leak, call your propane retailer right away. If you can't reach your propane retailer, call 911 or your local fire department.
- 5. DO NOT RETURN TO THE BUILDING OR AREA** until your propane retailer, emergency responder or qualified service technician determines that it is safe to do so.
- 6. GET YOUR SYSTEM CHECKED.** Before you attempt to use any of your propane appliances, your propane retailer or qualified service technician must check your entire system to ensure that it is leak-free.

CAN YOU SMELL IT?

Propane has a strong, unpleasant odor. Some people may have difficulty smelling propane due to their age (older people may have a less sensitive sense of smell); a medical condition; or the effects of medication, alcohol, tobacco, or drugs. Consider purchasing a propane gas detector as an additional measure of security.

ODOR FADE is an unintended reduction in the concentration of the odor of propane making it more difficult to smell. Although rare, several situations can cause odor fade:

- The presence of air, water, or rust in a propane tank or cylinder.
- The passage of leaking propane through the soil.

Since there is a possibility of odor fade or problems with your sense of smell, you should respond immediately to even a faint odor of gas.

RUNNING OUT OF GAS

DON'T RUN OUT OF GAS. SERIOUS SAFETY HAZARDS, INCLUDING FIRE OR EXPLOSION, CAN RESULT.

- If an appliance valve or gas line is left open, when the propane runs out a leak could occur when the system is recharged with propane.
- If your propane tank runs out of gas, any pilot lights on your appliance will go out. This can be extremely dangerous.
- **A LEAK CHECK IS REQUIRED.** In many states, a propane retailer or a qualified service technician must perform a leak check of your propane system before turning on the gas.

LIGHTING PILOT LIGHTS

IT IS STRONGLY RECOMMENDED THAT A QUALIFIED SERVICE TECHNICIAN LIGHT ANY PILOT LIGHT THAT HAS GONE OUT A pilot light that repeatedly goes out - or is very difficult to light - may be signaling that there is a problem with the appliance or with the propane system. If this occurs, do not try to fix the problem yourself. Contact a qualified service technician to evaluate the appliance. Accidents and serious injuries can occur when customers attempt to fix a pilot light problem on their own.

YOU ARE TAKING THE RISK of starting a fire or an explosion if you light a pilot light yourself. Carefully follow all of the manufacturer's instructions and warnings concerning the appliance before attempting to light the pilot.