INVOICE



Sikes Propane

2174 Hatch Parkway South Baxley GA 31513 9123671151

Date: 09/26/2025

Time: 09:17 am

BENJAMIN GRIFFIS

Time In: 10:17 AM

Time Out: 11:37 AM

SMITH, LARRY

Acc# SP202405070000813

Sub Account# SP202405070000813

1201 FOUNDERS BLVD. ATHENS, GA 30606

Email:

Phone Number: 229-347-9931

Order #:

Invoice #: 250926091749

Tank Serial #: 2SA075415

Summary (*Itemized list at the back)	Total	
Parts & Fittings		\$1285.00
Labor		\$240.00
	Subtotal	\$1525.00
	Discount	\$200.00
	Taxes	\$102.80
	Grand Total (\$)	1427.8

^{*} All applicable sales tax will be added at time of final billing unless otherwise specified here.

Job Description:

Changed old water heater due to damage and replaced with a new Rinnal RL75e. Ran pressure check and checked all appliances

We are excited about the possibility of working with you.

By signing this document, the customer agrees to the services and conditions outlined in this document.

Customer Signature:

Signed On: 09-26-2025 09:25 am

Part #	Category	Description	Price(\$)	Quantity	Hours	Hourly Rate	Total(\$)
RL75eP	Parts & Fittings	RL75eP-Rinnai RL75eP (Propane)	1285.0	1	N/A	N/A	\$1285.00
LABOR	2 Person Rate(\$120)	N/A	N/A	N/A	2	\$120.00	\$240.00
				Si	ubtotal		\$1525.00
				Di	scount		\$200.00
					Taxes		\$102.80
				Grand T	otal(\$)		\$1427.80



Service Workorder

APPOINTMENT:

Date: 09-18-2025 Time: 10:20 AM

Time Arrived: 10:20 AM

COMPANY DETAILS:

ADDRESS: 2174 Hatch Parkway South

LOCATION: GA 31513

CITY: Baxley

PHONE: 9123671151

CUSTOMER DETAILS:

Existing Customer	☐ New Customer		
Customer Name: SMITH, LARRY	Customer Home #		
Street: 1201 FOUNDERS BLVD.	City: ATHENS		
State: GA	Zip: 30606		
Account#: SP202405070000813	Customer Dell#: 229-347-9931		
Sub Acc. Number: \$P202405070000813	Location:		
Invoice Number: 250926091749			

CHECK TYPE OF SERVICE(*Follow company's policies and procedures)

TANK/EQUIPMENT COMPANY OWNED CUSTOMER OWNED	TANK EQUIPMENT REMOVAL	
THEW CUSTOMER INSTALLATION*	[" QUT-OF-GAS*	
CONNECT (Lockout Tank) TAG*	☐ RECONNECT*	
MOVE-IN (New Renter/Owner)*	NEW CUSTOMER-OWNED ACCOUNT*	
T LEAK CHECK	[" OTHER SERVICE	
METER INSTALLATION		

Directions/Instructions: Changed old water heater due to damage and replaced with a new Rinnai Rt.75e. Ran pressure check and checked all appliances

Tank Location:	5	*	87	P.
				3
	1	-	_	1

Approx. distance from the building: 6

SYSTEM LEAK CHECKS: ☑ Vapor System ☐ Liquid System

	Leak Check			New Piping
	High Press	Intermediate	Low Press	Press Test
Tank Pressure:	130 PSIG	PSIG	11 In W.C	Air
Start Pressure:	100 PSIG	PSIG	9 in W.C	PSIG
End Pressure:	100 PSIG	PSIG	9 In W.C	PSIG
Start Time:	11:40:AM		11:50:AM	
End Time:	11:50:AM		12:00:PM	
Time Held:	10		10	
Pressure Held:	Yes	Yes	Yes	Yes
Flow Check: IN W.C.	Location Of Flow Check:		All appliances activate	ed for test? Yes

GAS LINE ₽ AG TUG		
APPROX LENGTH:		
MATERIAL	28	

INSPECTION NOTES:

INSPECTOR / DO NOT CONNECT TAG:

▼ YES NO

WORK PERFORMANCE/COMMENTS:

Checklist(CHECK MARK = YES, NO CHECK MARK = NO):

System or equipment "Red(Warning) Tagged" due to condition or because subject to recall?

Lead Tech: Daniel Sikes

Helper: Ben Griffis

Date: 09-18-2025

End Time: 12:10 PM

Photos:











Important Propane Safety Information for You and Your Family

IF YOU SMELL GAS

- NO FLAMES OR SPARKS! immediately put out all smoking materials and other open flames. Do not operate lights, appliances, telephones, or cell phones. Flames or sparks from these sources can trigger an explosion or a fire.
- Z. LEAVE THE AREA IMMEDIATELY! Get everyone out of the building or area where you suspect gas is leaking.
- SHUT OFF THE GAS. Turn off the main gas supply valve on your propone tank if it is safe to do so. To close the valve, turn it to the right (clockwise).
- 4. REPORT THE LEAK. From a neighbor's home or other nearby building away from the gas leak, call your propane retailer right away. If you can't reach your propane retailer, call 911 or your local fire department.
- DO NOT RETURN TO THE BUILDING OR AREA until your propane retailer, emergency responder or qualified service technician determines that it is safe to do so.
- GET YOUR SYSTEM CHECKED. Before you attempt to use any of your propane appliances, your propane retailer or qualified service technician must check your entire system to ensure that it is leak-free.

CAN YOU SMELL IT?

Propane has a strong, unpleasant odor. Some people may have difficulty smelling propane due to their age (older people may have a less sensitive sense of smell); a medical condition; or the effects of medication, alcohol, tobacco, or drugs. Consider purchasing a propane gas detector as an additional measure of security.

ODOR FADE is an unintended reduction in the concentration of the odor of propane making it more difficult to smell. Although rare, several situations can cause odor fade:

- The presence of air, water, or rust in a propane tank or cylinder.
- The passage of leaking propane through the soil.

Since there is a possibility of odor fade or problems with your sense of smell, you should respond immediately to even a faint odor of gas.

RUNNING OUT OF GAS

DON'T RUN OUT OF GAS. SERIOUS SAFETY HAZARDS, INCLUDING FIRE OR EXPLOSION, CAN RESULT.

- If an appliance valve or gas line is left open, when the propane runs out a leak could occur when the system is recharged with propane.
- If your propane tank runs out of gas, any pilot lights on your appliance will go out. This can be extremely
 dangerous.
- A LEAK CHECK IS REQUIRED. In many states, a propose retailer or a qualified service technician must perform a leak check of your propose system before turning on the gas.

LIGHTING PILOT LIGHTS

IT IS STRONGLY RECOMMENDED THAT A QUALIFIED SERVICE TECHNICIAN LIGHT ANY PILOT LIGHT THAT HAS GONE OUT A pilot light that repeatedly goes out - or is very difficult to light - may be signaling that there is a problem with the appliance or with the propane system. If this occurs, do not try to fix the problem yourself. Contact a qualified service technician to evaluate the appliance. Accidents and serious injuries can occur when customers attempt to fix a pilot light problem on their own.

YOU ARE TAKING THE RISK of starting a fire or an explosion if you light a pilot light yourself. Carefully follow all of the manufacturer's instructions and warnings concerning the appliance before attempting to light the pilot.